



# ASH PACIFIC S.A.S

Nit.: 830.117.729-5

## ASH PACIFIC S.A.S

Aut. Medellín Km. 3.5 Terminal de Carga Oikos Of.  
C83 tercer piso-Cota (Cundinamarca) PBX:(571)  
8759223 Cel.: 3105512624 Email:

[info@ashpacific.com](mailto:info@ashpacific.com)




## YUNNAN DAHUTONG TITANIUM INDUSTRY CO., LTD.

Our supplier has two titanium dioxide factories with an annual production capacity of 120,000 tons.

This company is a member of the Titanium Dioxide Center of the National Center for the Promotion of Productivity in the Chemical Engineering Industry and vice president of the Titanium Industry Association of Panzhihua.

It has been recognized peers as with one of the ten best titanium dioxide producers in China



# ASH PACIFIC S.A.S

Nit.: 830.117.729-5



**ASH PACIFIC S.A.S**

Constituidos desde 2003

Bogotá- Colombia

**YUNNAN DAHUTONG TITANIUM INDUSTRY CO., LTD.**

In 2018 the **YUNNAN DAHUTONG TITANIUM INDUSTRY CO., LTD.** factory authorized **ASH PACIFIC S.A.S** its exclusive distributor in Latin America.





# ASH PACIFIC S.A.S

Nit.: 830.117.729-5


Our supplier has two titanium dioxide factories that has a Annual capacity of 120,000 tons.

In 2006 they opened the Panzhihua Dahutong Titanium Co. In the industrial zone of vanadium and titanium. With annual production rates of 60,000 tons with high pigment grade Rutile high-end.

It's the largest industrial chemical company in southwestern China.

The company has 150 mid-level technicians and 40 leading chemical engineers.





# ASH PACIFIC S.A.S

Nit.: 830.117.729-5


## SUMMARY OF THE APPLICATION OF SULFATE TIO<sub>2</sub> Y AND IT PREVIOUS USERS

Product Reference	Maker	Process	Application	Previous users
HTR-628	Panzhihua Dahutong Titanium Co	Sulfato	Masterbach, PVC, Color of paste and ink, ABS, PS.	NIPPON Paints, Kansai Paints in Turkey, Dyo Boya Fabrikalari San Ve Tic AS, Cosmo Chemistry Integrated Traffic System USA, INC.
HTR-616	Panzhihua Dahutong Titanium Co	Sulfato	Inks, Plastics, Rubber, Leather, Decorative and powder paint.	



# Presentation, packaging and storage

---



25 kgs paper bag, in kraft paper material, shrunk and wrapped with the platform; or bag of 1000 kgs.